



Note: Layout can be customised by owner  
 Owner Advised to provide sun protection



# 6.8m ISLAND CAB GENERAL ARRANGEMENT

## PRINCIPAL PARTICULARS

LOA: 7.125m  
 LOA: 6.8m (Hull Only)  
 BEAM: 2.5m  
 DEPTH: 1.53m  
 DRAFT: 0.275m (HULL)  
 D/RISE: 14° @ TRAN.  
 DISPL: 1950kg DRY -w- 200HP  
 Boat hull to be foam filled.



www.platealloy.com

**AUSTRALIAN BUILDERS PLATE**

BUILDER "YOUR NAME"

HIN AU "SEE REGISTRATION"

Max  $\hat{v}$  = 250 hp  
 = 275 kg

Max  $\hat{v}$  4 = 360 kg

Max  $\hat{v}$  +  $\hat{v}$  = 685 kg

**Buoyancy BASIC Flotation**

Alteration of the boat's hull or permanent fittings may invalidate the particulars on this plate.  
 A REDUCTION IN MAXIMUM NUMBER OF PERSONS MUST BE MADE IN ADVERSE WEATHER CONDITIONS OR WHEN ON THE OPEN SEA.

- Design in compliance with AS1799-1 2009
- Structure in accordance with ISO 12215
- Entire kit 4mm & 5mm 5083 aluminium.
- Builders plate, Jig, Drawings & Photo CD included with kit.
- Bollards, Scuppers, Inspection port & Drain plug included in the kit.
- 5 days per week helpdesk available
- Customization available.
- Flotation foam & most fit out parts available, check catalogue for pricing.
- HIN number engraved in kit & and registered.






# 6.8 ISLAND CAB



**PLATE ALLOY**

[www.platealloy.com](http://www.platealloy.com)







## 6.8 ISLAND CAB



**PLATE ALLOY**  
[www.platealloy.com](http://www.platealloy.com)

