

# 6.1m Catamaran





## Hardtop Layout

### GENERAL ARRANGEMENT

#### PRINCIPAL PARTICULARS

LOH:	6.10 m (Hull Only)
BEAM:	2.4m
DEPTH:	1.4m
DRAFT:	0.250m
D/RISE:	12° @ TRAN.
DISPL:	1730kg DRY-w- 2 x 100HP

Boat hull to be foam filled.



ACTUAL KIT MIGHT DIFFER FROM PICTURES SHOWN




PLATE ALLOY

www.platealloy.com

Note: Layout can be customised by owner  
Owner Advised to provide sun protection

**AUSTRALIAN BUILDERS PLATE**

BUILDER \*YOUR NAME\*

HIN AU\* \*SEE REGISTRATION\*

Max 6 = 228 hp

= 325 kg

Max 8 = 800 kg

Max 8 + = 1100kg

**Buoyancy BASIC Flotation**

Alteration of the boat's hull or permanent fittings may invalidate the particulars on this plate.

A REDUCTION IN MAXIMUM NUMBER OF PERSONS MUST BE MADE IN ADVERSE WEATHER CONDITIONS OR WHEN ON THE OPEN SEA.


- Design in compliance with AS1799-1 2009
- Structure in accordance with ISO 12215
- material:
  - Bottom, Chine, Transom & Stringers, 4mm 5083 aluminium.
  - Sides, Deck, Gunwales. 4mm 5083 Aluminium
- Builders plate, Jig, Drawings & Photo CD included with kit.
- Bollards, Scuppers, Inspection port & Drain plug included in the kit.
- 5 days per week helpdesk available
- Customization available.
- Flotation foam & most fit out parts available, check catalogue for pricing.
- HIN number engraved in kit & and registered.

# 6m CAT-HT



**PLATE ALLOY**

[www.platealloy.com](http://www.platealloy.com)



# 6m CAT-RUN



**PLATE ALLOY**

[www.platealloy.com](http://www.platealloy.com)

